

Requirements Changing Places



What	Component	Description	
Signage		Signage to the facility must be accessible	
Room		The area of the room is at least 12m ²	
		The height of the room should be 2.4 m	
Door		The doorway has a minimum width of 1m with a floor-level threshold	
		The door swings open to one side with a horizontal brace on the inside of door	
		If the door is to be opened by hand then the maximum weight of 20 Newton opening forces should be allowed	
Hoist		An elevator system mounted on the wall or ceiling that completely covers the space. The track must be capable of lifting 200 kg.	
Changing stretcher		A mobile or wall mounted table that is height adjustable	
		Can carry 200 kg and has a minimum length of 1.80m and width of 80cm	
		The upholstery is waterproof	
		The stretcher is foldable if needed	
Sink		To be used by both wheelchair users and companions	
		If possible, the sink is electrically powered and height adjustable	
Toilet		A loose toilet layout with support brackets on both sides	
		Positioned on both sides as an island arrangement with a center line at least 1m from the wall or any other obstacle	
Privacy screen		A retractable privacy screen that is not ceiling mounted	
Ambience Qualities (The components must have visual contrast with the background, with at least 30 points LRV difference from the main surfaces)	Appearance	Ceilings, walls and floors visually contrast from each other	
		Bright white wall surfaces and highly reflective finishes are avoided.	
		A soft muted color palette helps in reducing sensory stimuli and potential sensory overload for those with hypersensitivity	
		Sanitary items and fittings contrast with the surfaces they stand out against	
	Sound and acoustics	Fans are as quiet as possible	
		Background music that can be turned down or off	
	Heating and cooling	The room has an adequate temperature	
		The room is evenly lit	
	Garbage		There is a large trash can and garbage can that are preferably airtight and built into the wall to avoid being an obstacle for companions
	Fixtures and accessories		A shelf for a stoma
			Paper towel dispenser
			A wide paper dispenser (for on the stretcher)
			Alarm with reset button
		Hand-operated hand dryer	
	At least two clothing hooks		